


# S4000 Series

Electrified Industrial Rim & Vertical Rod Exit Devices

SDC's S4000 series features lowprofile, high value electrified grade 1 exit devices with stainless steel construction. Not all perimeter doors have adequate overhang protection, exposing them to weather and corrosion. The S4000 is corrosion resistant and comes with motorized electric latch retraction and requestto-exit (REX) monitoring factory installed, making its application as easy as install - power - done.

- Electrified compact industrial design
- Motorized electric latch retraction and dogging
- · Panic and fire rated devices
- Durable stainless steel construction
- · Corrosion resistant
- Scratch, fingerprint and impact resistant touch pad
- · High traffic use
- Low-energy automatic door operator compatible
- · Request-to-exit (REX)

### ORDERING GUIDE



NOT REQUIRED

### **EXAMPLES**

S4101PU36RE	Rim, Exit Only, Panic, 630, 36", REX, Motorized ELR & Dogging	1,480.00
S4101FU36RE	Rim, Exit Only, Fire, 630, 36", REX, Motorized ELR & Dogging	1,569.00
S4103PU36RE	Rim, Nightlatch, Panic, 630, 36", REX, Motorized ELR & Dogging	1,480.00
S4201PU36RE	SVR, Exit Only, Panic, 630, 36", REX, Motorized ELR & Dogging	1,618.00
S4201FU36RE	SVR, Exit Only, Fire, 630, 36", REX, Motorized ELR & Dogging	1,707.00

**82** LIT-PL23\_020325



S41



**S42** 



**Less Bottom Rod** 



**Eclipse Trim** 



**Galaxy Trim** 



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

### S4000 CONFIGURATION 1 of 1

MODEL	●0000000	LIST \$
S41	Rim	1,480.00
S42	Surface Vertical Rod (SVR)	1,618.00

TRIM FUNCTION	0000000	ADD TO LIST
01	Exit Only (No Trim)	N/C
02	Dummy Trim (No Cylinder Prep)	N/C
03	Key Retracts Latchbolt (Nightlatch)	N/C
08	Key Locks/Unlocks Lever (Classroom)	N/C
14	Lever Always Active (Passage)	N/C

RATING	00•0000	ADD TO LIST
P	Panic Device & Standard	N/C
F	Fire-Rated Device	89.00

FINISH	0000000	ADD TO LIST
U	630 Dull Stainless €standard	N/C

LENGTH	0000 • 000	ADD TO LIST
36	36" Door Opening €standard	N/C

OPTIONS	00000•00	ADD TO LIST
R*	Request-To-Exit (REX)	N/C
LBR**	Less Bottom Rod, Panic	N/C
LBRF**	Less Bottom Rod, Fire-Rated	N/C

<sup>\*</sup>Request-to-exit (REX) is required. Must specify.

<sup>\*\*</sup> Available for S62 surface vertical rod devices only.

ELECTRIFICATION	000000	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging ♥ Standard	N/C

TRIM*	0000000	ADD TO LIST
EK**	Eclipse Escutcheon	188.00
GK**	Galaxy Escutcheon	188.00
SP***	Saturn Escutcheon	102.00

<sup>\*</sup> Key cylinder not included, specify separately.

Related products on next page.

<sup>\*\*</sup> Available for 02, 03, 08 and 14 functions only.

<sup>\*\*</sup> Available for 02 and 03 functions only.

#### COMPONENT **CONSIDERATIONS**

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators Pages 147-148



Push Plates & Panels Pages 149-150



Power Transfer Devices Page 152



Keypads & Readers Page 112-116



Power Controllers Pages 153-164



Door Controllers Page 165

## **RELATED PRODUCTS**

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK402U	Replacement Trim, Eclipse Escutcheon, Dummy, 630	215.00
EK403U*	Replacement Trim, Eclipse Escutcheon, Nightlatch, 630	215.00
EK408U*	Replacement Trim, Galaxy Escutcheon, Classroom, 630	215.00
EK414U	Replacement Trim, Eclipse Escutcheon, Passage, 630	215.00
GK402U	Replacement Trim, Galaxy Escutcheon, Dummy, 630	215.00
GK403U*	Replacement Trim, Galaxy Escutcheon, Nightlatch, 630	215.00
GK408U*	Replacement Trim, Galaxy Escutcheon, Classroom, 630	215.00
GK414U	Replacement Trim, Galaxy Escutcheon, Passage, 630	215.00
SP402U	Replacement Trim, Saturn Escutcheon, Dummy, 630	136.00
SP403U*	Replacement Trim, Saturn Escutcheon, Nightlatch, 630	136.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 11/8" Length, Keyed Different	57.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 11/8" Length, Keyed Alike	57.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	43.00
ST41P	Rim Strike, 37/64" Projection	26.00
ST41F	Rim Strike, 37/64" Projection, Fire-Rated	27.00
ST42	SVR Top Strike, 4%4" Projection	25.00
ST48	SVR Floor Strike, Mortise, 3/4"	25.00
KR90F*	Removable Mullion, 11 Gauge Steel, 8' x 2"	797.00

<sup>\*</sup>Key cylinder not included, specify separately.

<sup>\*\*</sup> For EK403U, GK403U and SP403U trim only.